

## United States Patent and Trademark Office

EINTTED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Brc: 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO.  | FILING DATE    | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|----------------|----------------------|---------------------|------------------|
| 10/621,871   | 07/17/2003     | Masayuki Matsuda     | 1217-031347         | 1745             |
| 28289 7.   | 590 03/09/2005 |                      | EXAMINER            |                  |
| WEBB ZIESENHEIM LOGSDON ORKIN & HANSON, P.C.<br>700 KOPPERS BUILDING<br>436 SEVENTH AVENUE<br>PITTSBURGH, PA 15219 |                |                      | KOPEC, N            | MARK T           |
|  |                |                      | ART UNIT            | PAPER NUMBER     |
|  |                |                      | 1751                | -                |

DATE MAILED: 03/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

|   | Application No.   | Applicant(s)   |  |  |  |
|---|---|--|--|--|--|
| Office Action Summany   | 10/621,871  | MATSUDA ET AL.   |  |  |  |
| Office Action Summary   | Examiner  | Art Unit   |  |  |  |
| The MAN INC DATE CALL   | Mark Kopec  | 1751   |  |  |  |
| The MAILING DATE of this communicate Period for Reply   | on appears on the cover sheet wit   | h the correspondence address   |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR THE MAILING DATE OF THIS COMMUNICA  - Extensions of time may be available under the provisions of 37 after SIX (6) MONTHS from the mailing date of this communic.  - If the period for reply specified above is less than thirty (30) da  - If NO period for reply is specified above, the maximum statutor.  - Failure to reply within the set or extended period for reply will, Any reply received by the Office later than three months after the earned patent term adjustment. See 37 CFR 1.704(b).  | TION.  7 CFR 1.136(a). In no event, however, may a re ation.  1 rys, a reply within the statutory minimum of thirty ry period will apply and will expire SIX (6) MONT by statute, cause the application to become ABA | ply be timely filed  (30) days will be considered timely.  HS from the mailing date of this communication.  ANDONED (35 U.S.C. § 133). |  |  |  |
| Status  |   |  |  |  |  |
| 1) Responsive to communication(s) filed o   | n .   |  |  |  |  |
|   | ☐ This action is non-final.   |  |  |  |  |
| 3) Since this application is in condition for   | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.     |  |  |  |  |
| Disposition of Claims   |   |  |  |  |  |
| 4) ⊠ Claim(s) <u>1-13</u> is/are pending in the appl<br>4a) Of the above claim(s) is/are v<br>5) ⊠ Claim(s) <u>2,8,9 and 11</u> is/are allowed.<br>6) ⊠ Claim(s) <u>1,3-7,10,12 and 13</u> is/are reject<br>7) ☐ Claim(s) is/are objected to.<br>8) ☐ Claim(s) are subject to restriction   | vithdrawn from consideration.   |  |  |  |  |
| Application Papers  |   |  |  |  |  |
| 9) The specification is objected to by the Example 10) The drawing(s) filed on is/are: a)  Applicant may not request that any objection Replacement drawing sheet(s) including the 11) The oath or declaration is objected to by  | accepted or b) objected to be to the drawing(s) be held in abeyand correction is required if the drawing(s  | ce. See 37 CFR 1.85(a). s) is objected to. See 37 CFR 1.121(d).  |  |  |  |
| Priority under 35 U.S.C. § 119  |   |  |  |  |  |
| a) Acknowledgment is made of a claim for the a) All b) Some * c) None of:  1. Certified copies of the priority document of the certified copies of the priority document of the certified copies of the application from the International * See the attached detailed Office action for the certified copies of the certified copies of the application from the International * See the attached detailed Office action for the certified copies of the attached detailed Office action for the certified copies of the cer | cuments have been received.<br>cuments have been received in Ap<br>ne priority documents have been r<br>Bureau (PCT Rule 17.2(a)).  | oplication No received in this National Stage  |  |  |  |
| Attachment(s)   |   |  |  |  |  |
| 1) Notice of References Cited (PTO-892)   |   | ummary (PTO-413)   |  |  |  |
| <ol> <li>Notice of Draftsperson's Patent Drawing Review (PTO-3)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTC Paper No(s)/Mail Date</li> </ol>  |   | /Mail Date<br>formal Patent Application (PTO-152)<br>  |  |  |  |

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

The listing of references in the specification is not a proper information disclosure statement. 37 CFR 1.98(b) requires a list of all patents, publications, or other information submitted for consideration by the Office, and MPEP § 609 A(1) states, "the list may not be incorporated into the specification but must be submitted in a separate paper."

Therefore, unless the references have been cited by the examiner on form PTO-892, they have not been considered.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.
- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United

Application/Control Number: 10/621,871

Art Unit: 1751

States and was published under Article 21(2) of such treaty in the English language.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere*Co., 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary.

Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that

Application/Control Number: 10/621,871

Art Unit: 1751

was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Claims 1, 3-7, 10, 12 and 13 are rejected under 35 U.S.C. 102(b)/(e) as anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over either Takamiya et al (6,524,499), Christian et al (5,866,287) or JP 11-25759.

Note that Takamiya et al (6,524,499) is available under 102(e)/103 only.

Also, a full English language translation of JP 11-25759 has been ordered and will be provided to applicant as soon as possible.

Takamiya et al (6,524,499) discloses a transparent conductive film of the present invention is formed to have a conductive layer containing at least ruthenium fine particles, gold fine particles and silver fine particles, the weight ratio of ruthenium fine particles and gold fine particles in the conductive layer being within the range of 40:60 to 99:1 (Abstract). The particle size of the ruthenium fine particles, gold fine particles and silver fine particles used in the conductive layer forming coating is preferably within the range of 1-50 nm, and more preferably within the range of 2-30 nm (Col

Art Unit: 1751

4 lines 14-20). In addition to the metal fine particles mentioned above, the conductive layer in the transparent conductive film of the present invention may also contain silica fine particles having a mean particle size of 100 nm or less within the range of 1-80 wt % relative to the above metal fine particles. A conductive layer in which a film has been formed by applying the above conductive layer forming coating containing silica fine particles has remarkably improved film strength and improved scratch strength. In addition, as a result of containing silica fine particles in the conductive layer, in the case of providing one or more transparent layers in its upper layer and/or lower layer that has a refractive index that differs from the refractive index of the conductive layer, there is the advantage of improved adhesion between both layers due to the satisfactory wettability with the silica binder component of the transparent layer, while also further improving scratch strength. Silica fine particles are even more preferably contained within the range of 20-80 wt %, relative to the metal fine particles from the viewpoint of achieving both improved film strength and electrical conductivity (Col 5, lines 19-38). The reference specifically or inherently meets each of the claimed limitations.

Christian et al (5,866,287) discloses a multilayer imaging element which includes a support, at least one image-forming layer, and a transparent electrically-conductive layer. The transparent electrically-conductive layer includes electronically-conductive metal antimonate colloidal particles having a particle size of from 0.005 to 0.05  $\mu m$  and nonconductive metal-containing colloidal particles having a particle size of from 0.002 to 0.05  $\mu m$  dispersed in a filmforming binder (Abstract). Particularly suitable non-conductive filler particles include colloidal size (e.g., .about.0.002-0.050 .mu.m) particles of non-conductive tin oxide, zinc oxide, antimony pentoxide, zinc antimonate, silica, surface-modified silicas, various natural clays, synthetic clays, and the like. Non-conductive filler particles can be substituted for up to about 75% of the metal antimonate particles in a conductive layer without any appreciable decrease (i.e., .ltoreq.1 log ohm/square) in the surface electrical conductivity and with improved transparency and less haze than conductive layers with similar conductivity containing unsubstituted metal antimonite (Col 6, lines 12-28). Examples 3-7 utilize a liquid containing zinc antimonite particles (0.015-.030  $\mu$ m) and colloidal silica  $(0.007-0.012 \mu m)$  in a ratio of 70:15:15 (binder) (Col 15-16).

Art Unit: 1751

The reference specifically or inherently meets each of the claimed limitations.

JP '759 discloses Transparent electrically conductive film for cathode ray tube and plasma display - is formed by a coating material which contains specific amount of platinum group metal fine particles of predetermined mean particle diameter. film is formed by a coating material which contains 10 wt.% or more platinum group metal fine particles of mean particle diameter 50 nm or less. The platinum group metal contains ruthenium, palladium, platinum, rhodium, iridium or osmium. Ιn addition to platinum group metals, 1-60 wt.% of silica fine particles of 100 nm or less mean particle diameter are also contained. One or more layers of transparent thin films having refractive index different from that of transparent conductive layer are attached on top and/or bottom of conductive layer. A transparent thin film having roughness is formed in the outermost layer. A colorant is also contained in one of the layers (Abstract). The reference specifically or inherently meets each of the claimed limitations.

In the event that any minor modifications are necessary to meet the claimed limitations, such as selection of a particular alkali metal content, such modifications are well within the purview of the skilled artisan.

Art Unit: 1751

In view of the foregoing, the above claims have failed to patentably distinguish over the applied art.

Applicant is reminded that any evidence to be presented in accordance with 37 C.F.R. 1.131 or 1.132 should be submitted before final rejection in order to be considered timely.

The remaining references listed on forms 892 and 1449 have been reviewed by the examiner and are considered to be cumulative to or less material than the prior art references relied upon in the rejection above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark Kopec whose telephone number is (571) 272-1319. The examiner can normally be reached on Monday - Friday from 9:30 AM to 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dr. Yogendra Gupta can be reached on (571) 272-1316. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/621,871 Page 9

Art Unit: 1751

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mark Kopec
Primary Examiner
Art Unit 1751

MK March 3, 2005